North bdy. of T. 27 N., R. 22 E.

Chains

Oct. 10, 1911. At 9 a.m., l.m.t., I set off 40° 14½' on the lat. arc, 6° 22½' S. on the decl. arc, and determine a meridian with the solar, at the cor. of Tps. 27 and 28 N., Rgs. 21 and 22 E.

Thence I run

East on a true line bet. secs. 6 and 31.

Over rolling land.

At theoretical dist.,
38.77 Set an iron post for the ¼ sec. cor. bet. secs. 6 and 31, with brass cap stamped

¼ S 31 in N. half
S 6 in S. half

Dig pits 18x18x12 ins. E. and W. of cor. 3 ft. dist., and raise a mound of earth 3½ ft. base, 1½ ft. high, N. of cor.

78.77 Set an iron post for the cor. of secs. 5, 6, 31 and 32, with brass cap stamped

T 28 N S 32 in NE. quadrant
R 22 E S 5 in SE. quadrant
T 27 N S 6 in SW. quadrant
S 31 in NW. quadrant
5 notches on E. and 1 notch on W. edge

Build a mound of stone 2 ft. base, 1½ ft. high, W. of cor.

Land, rolling, - grazing.
Soil, sandy and stony, 3rd rate.

From the cor. of secs. 5, 6, 31 and 32, I run

East on a true line bet. secs. 5 and 32.

Ascending gradual SW. slope.

25.00 Begin steep ascent.

40.00 Set an iron post for the ¼ sec. cor. bet. secs. 5 and 32, with brass cap stamped

¼ S 32 in N. half
S 5 in S. half

Build a mound of stone 2 ft. base, 1½ ft. high, N. of cor.

49.40 Top of ascent on ridge, brs. N. 10° W. and S. 10° E.

Thence descend steep SE. slope.

56.70 Draw, drains S. 50° E.

Thence ascend SW. slope.